



# **FPi4700**

**THE INSERTING SYSTEM FOR  
MODERATE MAIL VOLUMES:  
EFFICIENT, VERSATILE,  
CONVENIENT.**

# FPI4700

## VERSATILITY WITH HIGH PERFORMANCE AND MAXIMUM EASE OF USE.



### NOW YOU CAN EASILY DELEGATE YOUR TASKS.

The FPI4700 is the perfect inserter system for moderate mail volumes up to 40,000 letters per month. Fast, reliable and quiet, it processes business correspondence, single or multi-part mailings, invoices, account statements or salary statements into letters. Your new inserting system is not only intelligent but easy to operate as well – and ultra-compact to save space.

► **Feed, fold, insert, seal**

Quickly turn your documents into neatly finished letters in C6, C6/5 or C5 formats – whatever suits your needs best.

► **Inserts? Flyers? No problem!**

You can include reply cards, flyers or return envelopes with your mailings, or use the folding function to produce your own flyers.

► **Fast, quiet and powerful**

The FPI4700 can process up to 3,800 letters per hour. It is compact and quiet in operation, making it suitable for any office environment.

► **Two base models**

The FPI4720 is equipped with two feeder stations, with the upper station designed as a high capacity feeder (HC) for processing large volumes. The FPI4730 has three stations. Both models can optionally be delivered with a special station in the lower position. It is capable of processing special types of paper (such as high gloss) and paper thicknesses up to 1 mm.

**INTELLIGENT & CONVENIENT | FILL&START+**

Thanks to the Fill&Start+ function, the system recognises which stations are loaded and automatically starts the job with the correct folding settings.

**DOUBLE SHEET CONTROL | REAL SHEET CONTROL**

Secure and reliable thanks to actual physical measurement of the paper thickness.

**POWERFUL FOLDING | TEN IN ONE**

The FPI4700 has tremendous power: It can fold up to 10 sheets at once (single fold) or 8 sheets in zig-zag or letter fold.



### “On-board operating instructions!”

Thanks to the large 7" colour touch screen and new, intuitive menus, you will immediately feel at ease with the system.

### High-capacity vertical stacker

Capacity for up to 500 sealed envelopes.

### Flexible placement of your codes – versatile read functions

The Contact Image Sensor (optional) reads a variety of control codes across the full sheet width without any adjustment.

### HC station

With a loading volume of up to 725 sheets, the HC station reduces the reloading times and ensures an optimised process.

### MaxiFeeder (Option)

Choice of return envelopes or inserts, DIN A5 (max. 156 mm) or DIN A4 (max. 356 mm).

### Saves energy

The machine automatically switches to standby/energy saving mode.




### MULTI-CHANNEL

LAN, WLAN or USB – all options are open to you. You can easily load lists of your inserting jobs on your computer via USB.




### DAILY MAIL FUNCTION

For processing mixed daily mail, sets of document with up to 10 sheets (loose or stapled) can be loaded manually. Automatic inserts from a stack are possible as well.



### COLLECTION STATION

All sheets are first collected and then folded at the same time. This significantly reduces the risk of a paper jam – and you get a professionally processed mailing.



### FEEDER SWAP

The full capacity can be doubled when more than one station is in use. Alternately filling the stations guarantees virtually non-stop processing.

### 3 OPTIONS FOR YOUR LETTER OUTPUT

The FPI4700 can be supplied with standard catch tray ①, side exit ② or or high-capacity vertical stacker ③.




# FPI4700

<b>Technical data</b>	
Job memory	50
Read capabilities: OMR, OCR, BCR 1D & 2D	optional
<b>Capacity – feeding stations</b>	
Automatic station (80 g/m <sup>2</sup> )	325
HC automatic station for increased volume (80 g/m <sup>2</sup> )	725
Special station (80 g/m <sup>2</sup> )	325
MaxiFeeder (differentiation per license)	325 return envelopes or up to 1,200 documents
– DIN A5 (max. 156 mm)	
– DIN A4 (max. 356 mm)	
Envelopes (C6, C6/5, C5)	325
<b>HCVS high-capacity vertical stacker</b>	
Max. height (mm)	300
With C5/6 + 1 x A4, 80 g/m <sup>2</sup> (zig-zag fold)	up to 400 envelopes
With C5 + 1 x A4, 80 g/m <sup>2</sup> (single fold)	up to 500 envelopes
<b>Folding capacity</b>	
Single fold (A4, 80 g/m <sup>2</sup> )	up to 10 sheets
Triple fold (A4, 80 g/m <sup>2</sup> )	up to 8 sheets
Set thickness	up to 2.5 mm
<b>Documents</b>	
Height	90–356 mm
Width	130–236 mm
Grammage/quality	60–250 g/m <sup>2</sup>
Sheet thickness (via special station)	up to 1 mm
<b>Dimensions (examples)</b>	
<b>Configuration: 3 stations + catch tray</b>	
Length x height x depth (mm)	1.360 x 720 x 500
Weight (kg)	79
<b>Configuration: 3 stations + vertical stacker</b>	
Length x height x depth (mm)	1.360 x 770 x 500
Weight (kg)	90
<b>Noise emissions</b>	
In single mode	66 dB(A)
When operating vertical stacker	67 dB(A)
<b>Test certificate</b> according EU declaration of conformity	

Technical changes reserved.



## MODEL VERSIONS/STATIONS



The right folding turns an A4 sheet into a small brochure. Or a perfect mailing. All modern folding types used in office operations are available: single fold, zig-zag fold, double parallel fold and letter fold (from top to bottom).

Francotyp-Postalia  
Vertrieb und Service GmbH  
Prenzlauer Promenade 28  
13089 Berlin  
freecall: 0800 372 62 68  
E-Mail: info@francotyp.com  
www.francotyp.de



[www.francotyp.com](http://www.francotyp.com)

